



**NOTES:**

1. ALL FENCING TO BE LOCATED 6" INSIDE PROPERTY LINE.
2. FENCE FABRIC SHALL BE 2" GALVANIZED SQUARE MESH.

NAME OF PART	PIPE SIZE NOM. O.D.	POST DEPTH IN FOOTING	MINIMUM FOOTING DIMENSIONS		
			TOP DIA.	BOTTOM DIA.	FOOTING DEPTH
LINE POST	2-1/2	3'-0"	0'-10"	1'-2"	3'-3"
END AND ANGLE POST	3	3'-0"	1'-0"	1'-4"	3'-3"
DOUBLE GATE POST WIDTH OVER 12' TO 26'	4	4'-0"	1'-4"	2'-0"	4'-3"
GATE PLUNGER STOP(OR CATCH)			0'-10"	1'-2"	3'-0"
GATE KEEPER			0'-7"	0'-10"	3'-0"
GATE FRAME	2				
TOP BOTTOM RAIL	1-5/8				
BRACE	1-5/8				
TENSION WIRE	*7 GAUGE				

DATE: 12/07/2004	REVISIONS	STANDARD DETAIL	LEXINGTON COUNTY JOINT MUNICIPAL WATER AND SEWER COMMISSION
SCALE: NTS			